


SPECIFICATION DATA SHEET

DOUBLE WALL FLAT OVAL SPIRAL DUCT

Spec Sheet 1 of 5

□ No. DWFO6101

DOUBLE WALL FLAT OVAL
SPIRAL PIPE



SIZE CHART

	Minor Axis								1
Spiral Size	6"	8"	10"	12"	14"	16"	18"	20"	Duct Gauge
14	19"	17"	16"						22 Gauge
15	20"	19"	18"						
16	22"	21"	19"	18"					
17	23"	22"	21"	20"					
18		24"	23"	21"	20"				
20	28"	27"	26"	25"	23"	22"			
22	31"	30"	29"	28"	27"	25"	24"		
24	34"	33"	32"	31"	30"	29"	27"	26"	
26	37"	36"	35"	34"	33"	32"	31"	29"	
28	41"	39"	38"	37"	36"	35"	34"	33"	
30	44"	43"	41"	40"	39"	38"	37"	36"	
32	47"	46"	45"	43"	42"	41"	40"	39"	
34	50"	49"	48"	47"	45"	44"	43"	42"	
36	53"	52"	51"	50"	49"	47"	46"	45"	
38	56"	55"	54"	53"	52"	51"	49"	48"	
40	59"	58"	57"	56"	55"	54"	53"	51"	20 Gauge
42	63"	61"	60"	59"	58"	57"	56"	55"	
44			63"	62"	61"	60"	59"	58"	
46						63"	62"	61"	

PIPE OUTER WALL MATERIAL:

- ☐ G-60 GALVANIZED STEEL PER ASTM A653, CS TYPE B.
- ☐ G-90 GALVANIZED STEEL PER ASTM A653, CS TYPE B.

PIPE INNER WALL MATERIAL:

PERFORATED STEEL 3/32" DIAMETER HOLE, 3/16" CENTER STAGGER.

W INTERNAL INSULATION:

1" THICK FIBERGLASS.

₩ PIPE CONSTRUCTION:

SPIRAL LOCK SEAM SMACNA RL - 1.

8 FT. JOINTS STANDARD.

CUT TO LENGTH JOINTS AVAILABLE UPON REQUEST.

TRANSVERSE CONNECTIONS:

FACTORY INSTALLED 18 GA. OUTBOARD FLANGE WITH FIELD INSTALLED BUTYL GASKET (SUPPLIED). SCREWED TOGETHER WITH #10 TEK SCREWS.

W FLAT OVAL DUCT IS FOR POSITIVE PRESSURE APPLICATIONS ONLY.



SPECIFICATION DATA SHEET


DOUBLE WALL FLAT OVAL SPIRAL FITTINGS

Spec Sheet 2 of 5

☐ No. DWFO6111

HARD BEND 90° ELBOW

"A" = I.D. MAJOR AXIS DIMENSION.
"B" = I.D. MINOR AXIS DIMENSION.




MAJOR AXIS DUCT DIMENSION UP THRU 36" = 20 GAUGE MAJOR AXIS DUCT DIMENSION 37" THRU 63" = 18 GAUGE

☐ No. DWFO6112

EASY BEND 90° ELBOW

"B" = I.D. MINOR AXIS DIMENSION.

"A" = I.D. MAJOR AXIS DIMENSION.




MAJOR AXIS DUCT DIMENSION UP THRU 36" = 20 GAUGE MAJOR AXIS DUCT DIMENSION 37" THRU 63" = 18 GAUGE

☐ No. DWFO6121

HARD BEND 45° ELBOW

"A" = I.D. MAJOR AXIS DIMENSION.

"B" = I.D. MINOR AXIS DIMENSION.




MAJOR AXIS DUCT DIMENSION UP THRU 36" = 20 GAUGE MAJOR AXIS DUCT DIMENSION 37" THRU 63" = 18 GAUGE

☐ No. DWFO6122

EASY BEND 45° ELBOW

"B" = I.D. MINOR AXIS DIMENSION.

"A" = I.D. MAJOR AXIS DIMENSION.





SPECIFICATION DATA SHEET


DOUBLE WALL FLAT OVAL SPIRAL FITTINGS

Spec Sheet 3 of 5

☐ No. DWFO6271

90° TEE

"A" & "C" = I.D. MAJOR AXIS DIMENSION.
"B" & "D" = I.D. MINOR AXIS DIMENSION.




MAJOR AXIS DUCT DIMENSION UP THRU 36" = 20 GAUGE MAJOR AXIS DUCT DIMENSION 37" THRU 63" = 18 GAUGE

☐ No. DWFO6271R

REDUCING 90° TEE

"A", "C" & "E" = I.D. MAJOR AXIS DIMENSION.
"B", "D" & "F" = I.D. MINOR AXIS DIMENSION.




MAJOR AXIS DUCT DIMENSION UP THRU 36" = 20 GAUGE MAJOR AXIS DUCT DIMENSION 37" THRU 63" = 18 GAUGE

□ No. DWFO6271X

90° TEE CROSS

"A", "C" & "E" = I.D. MAJOR AXIS DIMENSION.
"B", "D" & "F" = I.D. MINOR AXIS DIMENSION.




MAJOR AXIS DUCT DIMENSION UP THRU 36" = 20 GAUGE MAJOR AXIS DUCT DIMENSION 37" THRU 63" = 18 GAUGE

☐ No. DWFO6271XR

REDUCING 90° TEE CROSS

"A", "C", "E" & "G" = I.D. MAJOR AXIS DIMENSION.
"B", "D", "F" & "H" = I.D. MINOR AXIS DIMENSION.





SPECIFICATION DATA SHEET


DOUBLE WALL FLAT OVAL SPIRAL FITTINGS

Spec Sheet 4 of 5

☐ No. DWFO6276

45° LATERAL


"A" & "C" = I.D. MAJOR AXIS DIMENSION.
"B" & "D" = I.D. MINOR AXIS DIMENSION.



MAJOR AXIS DUCT DIMENSION UP THRU 36" = 20 GAUGE MAJOR AXIS DUCT DIMENSION 37" THRU 63" = 18 GAUGE

□ No. DWFO6276R 45° REDUCING LATERAL

"A", "C" & "E" = I.D. MAJOR AXIS DIMENSION.
"B", "D" & "F" = I.D. MINOR AXIS DIMENSION.




MAJOR AXIS DUCT DIMENSION UP THRU 36" = 20 GAUGE MAJOR AXIS DUCT DIMENSION 37" THRU 63" = 18 GAUGE

No. DWFO6307

"A" = I.D. MAJOR AXIS DIMENSION.

"B" = I.D. MINOR AXIS DIMENSION.




NOTE I.D. MINOR AXIS DIMENSION SADDLE TAP TO FIT.

MAJOR AXIS DUCT DIMENSION UP THRU 36" = 20 GAUGE MAJOR AXIS DUCT DIMENSION 37" THRU 63" = 18 GAUGE

□ No. DWFO6307L 45° SADDLE TAP

"A" = I.D. MAJOR AXIS DIMENSION

"B" = I.D. MINOR AXIS DIMENSION.



NOTE I.D MINOR AXIS DIMENSION SADDLE TAP TO FIT.




SPECIFICATION DATA SHEET

DOUBLE WALL FLAT OVAL SPIRAL FITTINGS


Spec Sheet 5 of 5

□ No. DWFO6406 GRILLE TAP




W x H = GRILLE DIMENSIONS NOTE I.D. MINOR AXIS DIMENSION GRILLE TAP TO FIT.

24 GAUGE



□ No. DWFO6273 END CAP FOR PIPE

"A" = I.D. MAJOR AXIS DIMENSION.
"B" = I.D. MINOR AXIS DIMENSION.




□ No. DWFO6265 CONCENTRIC REDUCER

"A" & "C" = I.D. MAJOR AXIS DIMENSION.
"B" & "D" = I.D. MINOR AXIS DIMENSION.

□ No. DWFO6265E

ECCENTRIC REDUCER
ONE SIDE STRAIGHT (NOT SHOWN)



MAJOR AXIS DUCT DIMENSION UP THRU 36" = 20 GAUGE MAJOR AXIS DUCT DIMENSION 37" THRU 63" = 18 GAUGE